

GALP TRANSMATIC LV



Fully synthetic lubricant of exceptional quality for automatic gearboxes and assisted steering of light vehicles.

It is a high-performance lubricant, using an advanced technology, with low viscosity and is suitable for use as an ATF Multi-Vehicle in OEMs of North America, Europe and Asia.

It fulfils the performance required by a wide range of Original Equipment Manufacturers (OEMs). This product is especially suitable for customers with fleets of different brands, making it possible to reduce the number of products needed and helping to optimise stocks and minimise errors due to incorrect product use.

It allows long intervals between oil changes, in accordance with those established by various equipment manufacturers.

PROPERTIES

- Excellent anti-wear properties.
- High antioxidant power, ensuring that the lubricant film maintains its characteristics unchanged over an extended period, even when subjected to extreme conditions of temperature and pressure.
- High protection against rust and corrosion.
- Shear strength in service.
- High stability and compatibility with the equipment, helping in protecting the critical components of the hydraulic pump and preventing oil leakage.
- Special features of slip control of the organs of friction, allowing a smoother change of gear, thus making driving more enjoyable for the driver and passengers.
- High seal compatibility.

MAIN CHARACTERISTICS

TESTS	METHODS	RESULTS
Colour	Visual	Red
Density at 15°C, kg / l	ASTM D1298/ D4052	0,84
Viscosity index	ASTM D2270	147
Kinematic viscosity at 40°C, mm ² /s	ASTM D445/ D7042	30,2
Kinematic viscosity at 100°C, mm ² /s	ASTM D445/ D7042	5,95
Pour point, °C	ASTM D97/ D6892	-50
Flash point, °C	ASTM D92	219

The values shown are for guidance and do not constitute a specification. This information may include minor variations that do not affect the product's performance. The information in this file is of a general nature and no guarantee is given if the products are used incorrectly or the information is out of date. To get a copy of the Safety Data Sheet for this product, please contact GALP's Customer Services Centre: export@galp.com.

SPECIFICATIONS/APPROVALS

AISIN WARNER
Aisin Warner JWS 3309 (T-IV) & JWS 3324 (WS), AW-1
AML
AML Oil No. 4G43A9A509/AA/S
ATF RED
ATF RED 1, RED 1K
ACURA
Acura ATF-Z1
BENTLEY
Bentley PY112995PA
BOSCH
Bosch TE-ML 09
BMW
BMW JWS 3309 (T-IV)
BMW LA2634
BMW LT71141 (ZF 5 HP 18FL/19FL/24A)
BMW ZF 5HP18FL, 5HP24, 5HP30
BMW 7045E
BMW ETL 8072B
BMW MINI
BMW 83 22 0 142 516 (ZF Lifeguardfluid 6)
MINI COOPER T-IV
DAEWOO
Daewoo LT 71141
DAIHATSU
Daihatsu AMMIX ATF D-II
Daihatsu AMMIX ATF D-III SP
FORD
Ford MERCON
Ford MERCON LV (FF-WSS-M2C-938A/SF, XT-10 QLV)
Ford FNR5 (Mazda M5, XT-9-QMM5)
Ford WSS M2C 138-CJ, 166-H
Ford WSS M2C 922-A1, 924-A (XT-8-QAW) JWS 3309
Ford/Lincoln/Mercury XT-2-QDX (M)
Ford/Lincoln/Mercury XT-2-QSM (Syn)
Ford ESP-M2C 166-H, XL-12

ALLISON
Allison C-3 & C-4
AMERICAN MOTORS
American Motors ATF +3 (MS7176-E)
AUDI
Audi 5 HP LT71141 (ZF 5 HP 18FL/19FL/24A)
Audi/VW G 052 025-A2
Audi/VW G 053 025-A2
Audi/VW G 052 162-A1/A2
Audi/VW G 055 025 A2 (JWS 3309)
Audi/VW G 052 162 (ZF Lifeguardfluid 5) (ZF No. S671 090 170)
Audi/VW G 055 005 -A, -A1, -A2, -A6 (ZF Lifeguardfluid 6) (ZF No. S671 090 255)
Audi/VW G 055 162-A2, -A6 (ZF Lifeguardfluid 6 Plus) (ZF No. S671 090 281)
Audi/VW G 060 162 (ZF Lifeguardfluid 8) (ZF No. S671 090 312)
Audi/VW G 052 990
Audi/VW G 055 540 (A2)
Audi/VW 052 055
CAT
CAT TO-2
CHRYSLER
Chrysler ATF+, +2, +3 (MS 7176E)
Chrysler/Dodge MOPAR AS 68 RC and AS 69 RC (T-IV), JWS 3309
Chrysler/Dodge/Jeep 05127382AA
Chrysler/Dodge/Jeep 68043742AA
Chrysler/Dodge/Jeep 68157995AA
Chrysler/Dodge/Jeep 68157995AB
Chrysler/Dodge/Jeep 68218925AA
Chrysler/Dodge/Jeep MOPAR SP IV, 68171866AA/68171869AA
FIAT
FIAT T-IV type, JWS 3309
FIAT 9.55550-AV5
FUSO
Fuso ATF-II
Fuso ATF-SPIII
Fuso ATF-A4

The values shown are for guidance and do not constitute a specification. This information may include minor variations that do not affect the product's performance. The information in this file is of a general nature and no guarantee is given if the products are used incorrectly or the information is out of date. To get a copy of the Safety Data Sheet for this product, please contact GALP's Customer Services Centre: export@galp.com.

HINO
Hino Blue ribbon ATF
HONDA
Honda ATF-Z1 (except in CVTs)
Honda ATF Ultra II
Honda DW-1
Honda Type 3.0
Honda Type 3.1
HYUNDAI
Hyundai/Kia SP-IV (00232-1904/04500-00115)
Hyundai/Kia SP-IV M (SP4-M)
Hyundai/Kia SPH-IV
Hyundai/Kia SP-IV-RR
Hyundai/Kia SP-III
Hyundai/Kia Dex-II/ SP-II
Hyundai/Kia JWS 3314
Hyundai/Kia NWS 9638
Hyundai/Kia 040000C90SG
Hyundai/Kia NUMM040 CH20 Red-1
JEEP
JEEP ATF+3
JAGUAR
Jaguar ATF 3403 M115, ATF 3403-M115
Jaguar ATF LT71141, ZF 5HP24
Jaguar JLM20238
Jaguar ATF 3403 JLM20238
Jaguar K17
Jaguar JLM 20292
Jaguar Fluid 8432
Jaguar 02JDE26444
Jaguar WSS-M2C 922-A1
KIA
KIA ATF SP-II, SP-III, SP-IV, SP-IVM, Red 1
LEXUS
Lexus JWS 3309
MASERATI
Maserati 231603

GENERAL MOTORS
GM9986195 (Aisin AW, JWS 3309)
GM TASA
GM DEXRON-II
GM DEXRON-IID
GM DEXRON-IIIE
GM DEXRON-IIIG
GM DEXRON-IIIH
GM DEXRON-VI
GM 1940700
GM 1940767
GM 21005966
GM 22717466
GM 88900925
GM 9986195
GM 93160393
GM/GMC/Opel/Saturn AW1
GM/GMC/Opel/Saturn VI
GM/GMC/Opel/Saturn 88863400
GM/GMC/Opel/Saturn 88863401
IDEMITSU
Idemitsu K17 3100 PL085
ISUZU
ISUZU BESCO ATF-II
ISUZU BESCO ATF-III
ISUZU BESCO ATF SP
ISUZU SCS Fluid
ISUZU 08200-9001
JASO
JASO M315-2013 1A
JASO M315-2013 1A-LV
JASO M315-2013 2A
LANDROVER
Land Rover TYK500050
Land Rover LR0022460
Land Rover LR023288
MAN
MAN 339A

The values shown are for guidance and do not constitute a specification. This information may include minor variations that do not affect the product's performance. The information in this file is of a general nature and no guarantee is given if the products are used incorrectly or the information is out of date. To get a copy of the Safety Data Sheet for this product, please contact GALP's Customer Services Centre: export@galp.com.

MAZDA
Mazda ATF D-II
Mazda ATF M-III
Mazda ATF M-V
Mazda ATF FZ
Mazda ATF F-1
Mazda ATF S-1
Mazda ATF N-1
MAZDA ATF 3317
NISSAN
Nissan Matic Fluid C
Nissan Matic Fluid D
Nissan Matic Fluid J
Nissan Matic Fluid K
Nissan Matic Fluid S
PEUGEOT
Peugeot ZF 4HP20
Peugeot/ Citroën Z 000169756
Peugeot/ Citroën (PSA) AL4 Automatic gearbox oil (#9730.AE)
PORSCHE
Porsche ZF 5HP19FL, ZF 5HP20, LT71141
Porsche ATF 3403-M115,
Porsche T-IV (JWS 3309)
Porsche 000 043 205 09
Porsche 999 917 547 00 (A2)
Porsche 000 043 205 28
Porsche Z 000169756
SATURN
Saturn T-IV (JWS 3309)
SSANGYONG
Ssangyong DSIH 5M-66
SUBARU
Subaru ATF
Subaru K0140Y0700
Subaru ATF 5AT
Subaru DEXRON-II
Subaru ATF, ATF HP

MERCEDES-BENZ
MB ZF 4HP20
NAG 1 (Chrysler, Jeep, Cherokee)
MITSUBISHI
Mitsubishi Diaqueen SK
Mitsubishi Diaqueen SP-II
Mitsubishi Diaqueen SP-III
Mitsubishi Diaqueen SP-IV
Mitsubishi Diaqueen AW
Mitsubishi Diaqueen J2
Mitsubishi Diaqueen J3
Mitsubishi Diaqueen ATF-MA1
Mitsubishi Diaqueen ATF PA
OPEL
Opel/GM 19 40 700
Opel/GM 19 40 767
Opel/GM 21005966 Transaxle
Opel/GM 22 17466
Opel/GM 88900925
Opel/GM 9986195
RENAULT
Renault DPO/AL4
Renault Matic D2
Renault Samsung SATF-D
SAAB
Saab T-IV (JWS 3309)
Saab 93 165 147
Saab 93 160 393
SCION
Scion (all vehicles)
SUZUKI
Suzuki ATF AW-1
Suzuki AT OIL 5D06
Suzuki ATF 2326
Suzuki ATF 2384K
Suzuki JWS 3309
Suzuki ATF 3314
Suzuki ATF 3317

The values shown are for guidance and do not constitute a specification. This information may include minor variations that do not affect the product's performance. The information in this file is of a general nature and no guarantee is given if the products are used incorrectly or the information is out of date. To get a copy of the Safety Data Sheet for this product, please contact GALP's Customer Services Centre: export@galp.com.

TOYOTA
Toyota ATF D-II
Toyota ATF D-III
Toyota ATF T-III
Toyota ATF T-IV
Toyota ATF WS
Toyota Hybrid
VOLVO
Volvo 97325
Volvo 97335
Volvo CE 97340
Volvo PN 1161521
Volvo PN 1161540/1161640
Volvo PN 31256774/31256675
Volvo PN 1161621
VOITH
Voith 55.6335.xx (G607)
Voith Svc Bltn #013 and #118

VICKERS
Vickers M2950-S, I-286-S
VOLKSWAGEN
VW 5 HP (ZF 5 HP 30)
VW 5HP (18FL, 30)
VW 5HP (19FL, 24A)
VW G-055-025 A2 (JWS 3309)
VW G055 540 (A2)
VW G 052 162 (ZF Lifeguardfluid 5)
VW G 055 162-A2, -A6 (ZF Lifeguardfluid 6 Plus)
VW G 060 162 (ZF Lifeguardfluid 8)
VW G US 000 162
VW TL 521 62
ZF
ZF all 3 & 4 speed transmission
ZF 6 speed transmissions
ZF 8 speed transmissions
ZF 9 speed transmissions
ZF TE-ML 05L
ZF TE-ML 09
ZF TE-ML 11A, 11B
ZF TE-ML 21L

PACKAGING



DRUM 205L



PAIL 20L



**5L
(4x5L Box)**



**1L
(18x1L Box)**

The values shown are for guidance and do not constitute a specification. This information may include minor variations that do not affect the product's performance. The information in this file is of a general nature and no guarantee is given if the products are used incorrectly or the information is out of date. To get a copy of the Safety Data Sheet for this product, please contact GALP's Customer Services Centre: export@galp.com.